

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name	KerryLiquid		
Synonyms	Mixture of Tetradecane, Pentadecane and Hexadecane		
Use	Church Candle Fuel		
Company	CM Almy		
Address	2111 E 11th St. Tulsa, OK 74104		
Telephone	CHEMTREC North America Transportation Emergency (24-hr)	(800) 424-9300	
	CHEMTREC World Wide	(703) 527-3887	
	Other Emergencies (24-hr)	(337) 494-5142	
	SDS and Product Information (8:00am-4:30pm CST)	(281) 588-3491	
	Health and Safety Information (7:30am-4:00pm CST)	(281) 588-3492	
E-mail address	SasolElectronicSDS@us.sasol.com		

SECTION 2 HAZARDS IDENTIFICATION

OSHA/GHS Aspiration hazard Hazards

Category 1

LABEL ELEMENTS

Hazard symbols



Signal word Danger

Hazard statements H304 May be fatal if swallowed and enters airways.

Precautionary statements

Response P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331 Do NOT induce vomiting.

Storage P405 Store locked up.

Disposal P501 Dispose of contents/ container to an approved waste disposal plant.



SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Components

C14-16 Normal Paraffins

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

SECTION 4 FIRST AID MEASURES

- **Eye contact** Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, consult a specialist.
- **Skin contact** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
 - **Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.
 - Ingestion Do NOT induce vomiting. Consult a physician.

SECTION 5 FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES

Fire/explosion NFPA Class IIIB combustible liquid.

Suitable Water spray, Foam, Dry chemical, Carbon dioxide (CO2) **extinguishing media**

Protective equipment In the event of fire, wear self-contained breathing apparatus. and precautions for firefighters

Further information Keep containers and surroundings cool with water spray.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Methods and
materials forEvacuate the area and eliminate all sources of ignition. Contain spillage, and then collect
with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,
vermiculite) and place in container for disposal according to local / national regulations
(see section 13).

Revision Date 05/04/2018



 CAS-No.
 Weight percent

 90622-46-1
 100

S



CM ALMY

SECTION 7 HANDLING AND STORAGE

Safe handling advice Ensure all equipment is electrically grounded before beginning transfer operations.

Storage/Transport pressure	Ambient	
Load/Unload temperature	Ambient, above freezing point.	(Product will freeze at 4°C)

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Air contaminant levels should be controlled below the PEL or TLV for this product (see Exposure Guidelines).

PERSONAL PROTECTIVE EQUIPMENT

- Eyes Wear as appropriate: Goggles, Face-shield
- Skin Wear suitable protective clothing, gloves and eye/face protection.
- **Inhalation** Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.

EXPOSURE GUIDELINES

Contains no substances with occupational exposure limit values., Sasol Chemicals (USA) LLC recommends an internal limit of 5 mg/m3 (8-hour TWA) for exposure to mists of this product.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	liquid;
Colour	water-white, oily
Form	liquid
Odour	Hydrocarbons
Odour Threshold	No data available
Flash point	118 °C, 244 °F; PM;
Flammability	Upper explosion limit: 4.7 %(V)
	Lower explosion limit: 0.5 %(V)



CM ALMY

LINPAR® 1416-V Normal Paraffin KerryLiquid®

Boiling point/boiling range	248 - 284 °C, 478 - 544 °F; ASTM D-86;
Melting point/range	4 °C, 39 °F; (Freeze pt.)
Auto-ignition temperature	204 °C, 400 °F;
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapour pressure	< 0.1 mm Hg @ 20 °C, 68 °F; API Calculation;
Vapour density	7.1
Density	No data available
Specific gravity	0.768 @16 °C, 61 °F;
Water solubility	negligible
Viscosity	2.3 - 2.5 cSt @ 40 °C, 104 °F;
рН	No data available
Evaporation rate	No data available
Partition coefficient: n- octanol/water	No data available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	Stable under recommended storage conditions.	
Chemical stability	No decomposition if stored and applied as directed.	
Conditions to avoid	Keep away from heat and sources of ignition.	
Hazardous decomposition products	Combustion products include carbon dioxide, carbon monoxide and possibly other unidentified organic compounds.	
Materials to avoid	Oxidizing agents	
Hazardous polymerisation	None known.	
Hazardous		



CM ALMY

SECTION 11 TOXICOLOGICAL INFORMATION

Acute dermal toxicity	LD50 Rabbit: > 2,000 mg/kg		
Acute inhalation toxicity	(,)		
Acute oral toxicity	LD50 Rat: > 2,000 mg/kg		
Skin corrosion/irritation	(Rabbit) Repeated exposure may cause skin dryness or cracking.		
Serious eye damage/eye irritation	Primary irritation (Rabbit): 1 hours; 5.7 (Max. score is 110.) (unwashed eyes), Not irritating		
Respiratory or skin sensitisation			
Germ cell mutagenicity	Genotoxicity in vitro : No data available		
	Genotoxicity in vivo : No data available		
	Assessment Mutagenicity: No data available		
Reproductive toxicity	Reproductive toxicity: No data available		
	Assessment Reproductive toxicity: No data available		
	Teratogenicity : No data available		
	Assessment teratogenicity: No data available		
STOT - single exposure	No data available		
STOT - repeated exposure	No data available		
Aspiration toxicity	May be fatal if swallowed and enters airways.		



CM ALMY

Carcinogenicity Assessment carcinogenicity: Contains no ingredient listed as a carcinogen

SECTION 12 ECOLOGICAL INFORMATION

Aquatic toxicity	Not toxic to aquatic organisms (fish, daphnia, algae) up to water solubility.	
Toxicity to fish	LL50 (Pimephales promelas (fathead minnow)) 96 hours In the range of water solubility not toxic under test conditions.	
Toxicity to aquatic invertebrates	EL50 (Ceriodaphnia dubia (water flea)) 192 hours In the range of water solubility not toxic under test conditions.	
Toxicity to algae	No data available	
Chronic toxicity to fish	No data available	
Chronic toxicity to aquatic invertebrates		
Biodegradation	Readily biodegradable.	
	OECD Test Guideline 301F (28 d): 82 % Test substance: LINPAR 1417	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Other adverse effects	No data available	

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Code Any unused product or empty containers may be disposed of as non-hazardous in accordance with state and federal requirements. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification. If the resulting material is determined to be hazardous, please dispose in accordance with state and federal (40 CFR 262) hazardous waste regulations.

Disposal methods Dispose of only in accordance with local, state, and federal regulations.



Empty containers. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

SECTION 14 TRANSPORT INFORMATION

- DOT not regulated
- IATA not regulated
- **IMDG** not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks No data available

SECTION 15 REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA Inventory Listing Components Alkanes, C14-16

SARA 302 Status Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Classification

Aspiration hazard

SARA 313 Chemical

ComponentsCAS-No.Weight percentThis material does not contain any chemical components with known CAS numbers that exceed the threshold
(De Minimis) reporting levels established by SARA Title III, Section 313.Weight percent

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Components none CAS-No.

90622-46-1

Weight n

Weight percent

Weight percent

CAS-No.

Reportable Quantity

weight pe



CM ALMY

INTERNATIONAL REGULATIONS

WHMIS ClassificationAspiration hazardCategory 1			
European Union Classification according to Regulation (EU) 1272/2008.			
Aspiration hazard, Category 1 Repeated exposure may cause skin dryness or cracking.			
Australia. Inventory of Chemical Substances (AICS)	Listed		
Japan. Inventory of Existing and New Chemical Substances (ENCS)	Listed		
Japan. ISHL - Inventory of Chemical Substances	Listed		
Canada. Domestic Substances List (DSL) Inventory This product or a component is the subject of a Significant New Activity (SNAc) notice under CEPA.	Listed		
Canada. Non-Domestic Substance Listing (NDSL)	Not listed		
Philippines. Inventory of Chemicals / Chemical Substances (PICCS)	Listed		
Korea. Existing Chemicals Inventory (KECI)	Listed		
China. Inventory of Existing Chemical Substances (IECSC)	Listed		
Mexico	Not listed		
New Zealand. Inventory of Chemical Substances	Listed		
Switzerland	Listed		
Taiwan. National Existing Chemical Inventory (NECI)	Listed		

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

STATE REGULATIONS

California Prop. 65 <u>Components</u> none

CAS-No.

SECTION 16 OTHER INFORMATION

Revision Date 05/04/2018

Print Date 07/06/2021



HAZARD RATINGS

			<u>Physical Hazard/</u>
	<u>Health</u>	<u>Flammability</u>	Instability
HMIS®	1	1	0
NFPA	1	1	0

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.